

Punchverktyg set

Handhydrauliskt punchverktyg med tillbehör



Hand hydraulic punch driver

The compact, lightweight hand hydraulic punch driver makes it easy to punch holes into stainless V2A steel, mild steel, aluminium or plastics with a max. sheet thickness of 3 mm (V2A: 2 mm), due to its high hydraulic force. The cylinder of the punch driver rotates 360° on 3 axes, so maximum flexibility even in hard-to-reach places is provided.

The punch driver can be used with all icotek punches and also with punches of other manufacturers.

Scope of delivery:

- 1 hand hydraulic punch driver (weight: 2 kg)
- 1 draw stud Ø 9.5 mm (3/8" UNF) to Ø 19 mm (3/4" UNF), L: 105 mm
- 1 draw stud Ø 19 mm (3/4" UNF), L: 130 mm
- 1 spacer
- 1 tube lubricant*
- 1 HSS co-pilot drill (multi step drill)*
- 1 robust plastic storage case
- Set PRO 16-31: 1 each knockout punch M16 | M20 | M25 | M32
- Set PRO 16-63: 1 each knockout punch M16 | M20 | M25 | M32 | M40 | M50 | M63
- Set PRO 16-63 V2A: 1 each knockout punch M16 | M20 | M25 | M32 | M40 | M50 | M63 for stainless steel

*Not included in Set LIGHT

Hydraulic foot pump

Universally applicable single-stage foot pump with a fixed operating pressure of 450 bar and built-in pressure relief valve. Suitable for all icotek round punches, rectangular and square punches. Keeps your hands free to position the sheet metal punch precisely, especially when using larger sheet metal punches.

Scope of delivery:

- 1 foot pump
- 2,5 m high pressure hose including quick coupling
- 1 hydraulic cylinder for holding round and rectangular punch
- 1 draw stud for round punch (steel) M16 – M25
- 1 draw stud for round punch (steel) M32 – M85
- 1 multi-step drill
- 1 spacer
- 1 tube of lubricant

Note: storage case not included in delivery.

Specifikationer

Material	Aluminium
----------	-----------

Fördelar

- Maximal flexibilitet genom 360° rotation av cylindaren
- Kompakt, extremt lätt aluminium-konstruktion(2 kg) för snabb och enkel användning
- Hög hydraulisk stanseffekt
- Högvärdig vadderad transportväska
- Kompatibel med plåthålslagare av andra tillverkare

Produkttyper och storlekar

Hydraulisk fotpump



ArtNr.	80002
EAN	4251269323690
Antal	1
Stanskraft	60 kN
Tryck	450 bar

Punch driver set LIGHT



ArtNr.	80003
EAN	4251269332432
Antal	1
Stansb art materi al	Plast, stål (St), Rostfr itt stål V2A
Stansk raft	60 kN
Tryck	600 bar

Punch driver set BASIC



ArtNr.	80000
EAN	4251269316135
Antal	1
Stansb art materi al	Plast, stål (St), Rostfr itt stål V2A
Stansk raft	60 kN
Tryck	600 bar

Punch driver set PRO 16-32



ArtNr. **80005**
EAN **42512**
69316
142
Antal **1**
Stansb **Plast,**
art **stål**
materi **(St)**
al
Stansk **60 kN**
raft
Tryck **600**
bar

Punch driver set PRO 16-63



ArtNr. **80006**
EAN **42512**
69316
159
Antal **1**
Stansb **Plast,**
art **stål**
materi **(St)**
al
Stansk **60 kN**
raft
Tryck **600**
bar

Punch driver set PRO 16-63 V2A



ArtNr. **80072**
EAN
Antal **1**
Stansb **Rostfr**
art **itt**
materi **stål**
al **V2A**
Stansk **60 kN**
raft
Tryck **600**
bar

icotek[®]
smart cable management